

L Number	Hits	Search Text	DB	Time stamp
13	0	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5486995-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and (adjust\$4 modif\$) near2 (dimension\$2 siz\$3) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:06
14	0	700/259 and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:09
15	4	700/\$ and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and adjust\$4) near4 (model\$4 simulat\$4) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:10
16	0	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:19
18	9	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:16
17	15	robot same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) (adjust\$4 modif\$) and select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:16
21	1	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion mov\$4 animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:41

BEST AVAILABLE COPY

22	0	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:42
23	0	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near2 (dimension\$ siz\$3) near2 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:42
24	0	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) and (adjust\$4 modif\$) and select\$4) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:54
25	36	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) (adjust\$4 modif\$) and select\$4) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:55
26	0	345/419 and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) and select\$4) near2 model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:59
27	0	345/\$ and robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) and select\$4) near2 model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:00
28	0	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) and select\$4) near2 model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:01

BEST AVAILABLE COPY

29	0	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and (stor\$3 memory database) with model\$4 and select\$4 near2 model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:01
30	13	robot and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) same (motion animat\$4) and ((stor\$3 memory database) and select\$4) with model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:02
31	14	robot same (motion animat\$4) and (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and ((stor\$3 memory database) and select\$4) with model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:03
32	2	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and ((stor\$3 memory database) and select\$4) with model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:12
33	2	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and (stor\$3 memory database) near3 model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:13
34	2	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:08
35	13	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and (stor\$3 memory database) near3 model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:09

BEST AVAILABLE COPY

38	0	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and ((stor\$3 memory database) and select\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3)) with model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:12
39	0	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and ((stor\$3 memory database) and select\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3)) same model\$4 and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:12
40	2	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and (stor\$3 memory database library) near3 model\$4 and (adjust\$4 modif\$) near2 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:14
41	2	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and (stor\$3 memory database library) near3 model\$4 and (adjust\$4 modif\$) near3 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:14
42	2	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and (adjust\$4 modif\$) near3 (dimension\$ siz\$3) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:20
47	3	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and constraint same (stor\$3 memory database library) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:24
50	2	robot same (motion animat\$4) same (graphic\$4 display\$3 screen) same (3-d 3d three-dimension\$2 three-d 3-dimension\$2 (three US-5880956-A.DID.) near (dimension\$2 d)) same (model\$4 simulat\$4) and constraint with (stor\$3 memory database library) and (@ad<19991012 @rlad<19991012)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:24

BEST AVAILABLE COPY